Global Smart Leader!





Head Office: 60, Hwajeonsandan 6-ro, Gangseo-gu, 46741, Busan, Korea 2nd Factory: 51, Dasan-ro 175beon-gil, Saha-gu, Busan, 49487, Busan, Korea

Seoul Office: #B-1507, D-Polis Bldg., 606, Seobusaet-gil, Geumcheon-gu, 08504, Seoul, Korea TEL: +82-2-861-8710 FAX: +82-2-861-8129 E-mail: fineglobal@fineglobal.kr Website: www.fineglobal.kr



Global Smart Leader!

The Best Business Partner For You

FINE Global







All Kinds of Military & Police Supply Solution

Global Smart Leader!

The Best Business Partner For You















CONTENTS

FINE BOAT SERIES	04
UNMANNED MILITARY SOLUTION	08
WATER TREATMENT SOLUTION	10
SPECIAL PURPOSE VEHICLE	12
CBRNE / FIRE FIGHTING EQUIPMENT	14
BALLISTIC PROTECTION	16
ANTI RIOT EQUIPMENT	18
FIELD EQUIPMENT	20
EOOTWEAR	22























Material – Aluminum / FRP / Rubber
Size – 5m ~ 23m
Main Customer – Navy / Coastguard / Marine / Army / Maritime Police etc.
Main Purpose – Mission / Surveillance / Patrol / Life Saving & Rescue

FINE BOAT SPECIAL FEATURES

Ballistic Protection [Cabin / Window]









Following Standard NIJ Level as per client's request


Self-Sealing Fuel Tank







Bullet Sealing Action



Rubber Layer Section

Self-Sealing Fuel Cell



Volume Change

Purpose - To minimize the leakage of the fuel inside against Gun Attack Material - Complex Laminated Fibers and Rubber Layer Effectiveness - Improving survivability & minimizing secondary fire

Self-Righting System







Open Type







Cabin Type

Non-Lethal Water Cannon









:: Performance

Max. Distance - Approx. 40m (Stop the boat while shooting water) Shooting seawater on the sea directly CS Liquid can be mixed



Inflatable Boat Load/Unload Function









FINE-RB380



Single Point Lifting System







Easy & Quick Operation Connect with Davit


Self-Produced Buoyancy Tube



KH 310 CSM



Foam Fender



Buoyancy Tube

Naval RCWS Application





:: Standard Caliber

5.56mm / 7.62mm / 12.7mm / 40mm

* Other Caliber is applicable as per request.

Universal mounting system with Pin / Block



UNMANNED MILITARY SOLUTION







SPECIAL FEATURES

:: Standard Caliber

5.56mm / 7.62mm / 12.7mm / 40mm

* Other Caliber is applicable as per request.

Fixed / Mobile Type

Universal mounting system with Pin / Block

Intelligent Surveillance / Detection Robot













Primeter

Mid-Range

Long Range

Long Range Mobile

Combat Robot [Lethal]



5.56mm





K3/M60 7.62mm



Cal 50. 12.7mm



K6 / Cal 50 12.7mm





K4/K6

As per request

Mobile RCWS





Type

- •Lethal / 5.56mm, 7.62mm, 12.7mm, 40mm
- Surveillance

Features

- Laser Range Finder (Detection: 20km)
- Laser Illuminator: 808nm
- Collimation Angle Auto Link to Zoom Lens
- GPS / Compass
- Fog Enhancement DSP
- Full Motion Stabilization

Detection Range

- Day: Vehicle 20km / Human 15km
- •Thermal: Vehicle 19.2km / Human 15.5km
- •LD Illuminator: 1.5km Recognition (No Moon)









Wastewater Treatment Solution

Business Field

- Industrial Wastewater Treatment
- Re-use of Wastewater



Sewage Water Treatment Solution

Business Field


- General Sewage Water Treatment
- Re-use of Sewage Water



R/O [Reverse Osmosis] Solution

Business Field

- Seawater Desalination System
- Chemistry / Semiconductor Process









Mobile Medical Shelter



APC [Armored Personnel Carrier]



- Configuration 4X4
- Overall Length Approx. 6.3m Main 30mm
- Crew 12 persons



- Configuration 6X6 or 8X8
- Coax 7.62mm
- **Speed** Max. 100km/h (Road) **Speed** 100~105km/h (Road)



- Configuration 6X6 or 8X8
- Ready to Fire 8 missiles
- Surveillance Range Approx. 20km
- Speed 100~105km/h (Road)

Various Special Vehicles

















Military Purpose Vehicle







Command Vehicle



CBRNE / FIRE FIGHTING EQUIPMENT





Gas Mask / CBRNE Clothes

Monocular

Voice Amplifier



Binocula



Vision Correction System



Carrying Bag



Approved NFPA 1991: 2005 for Chemical Protective Suit

Heat Proximity Clothes



Over 90% of High Heat due to strong flame

Newly adopted Aluminum Coating Method

• Lower weight and Softer fabric for more efficient operation

Fabric composition

• Aluminized heat resistant fabric, middle layer, felt, and inner

Self-Contained Breathing Apparatus







Type of filling gas: Air

Hours of use: Approx. 50 mins

Gross weight: 8kg or less

(excluding saver and air weight)

Fire Fighting Equiment











Light Weight Fire Fighting Equipment for Easy Operation



PROTECTION

Bullet Proof Jacket [NIJ Level II ~ IIIA] Bullet Proof Plate [NIJ Level III ~ IV]





SPECIAL FEATURES

Material: Aramid, Kevlar, PE or as per request

Picatinny Rail / Night Vision Bracket for Bullet Proof Helmet

MOLLE / Quick Release type is applicable as per request

Following Standard NIJ Level

Level	CALIBER		NIJ STANDARD 0101.06 VELOCITIES
Level IIA	9mm 124gr. FMJ RN		1225 ft/s
	40 S&W 9mm 40	S&W	1155 ft/s
LevelII	9mm 124gr. FMJ RN		1305 ft/s
	.357 Magnum 158 gr. JSP	9mm 357 Mag.	1430 ft/s
LevelIIIA	.357 Sig 125 gr. FN	44 Mag.	1470 ft/s
	.44 Magnum 240 gr. JHP	357 Sig	1430 ft/s
LevelIII	7.62mm NATO 148 gr.		
	(.308 Caliber) FMJ	7.62mm(308 Cal)	2780 ft/s
LevelIV	30.06 166 gr.		2880 ft/s
	(.30 Caliber) M2AP Armor Piercing	30.06mm(30 Cal)	

BULLET PROOF HELMET [NIJ Level IIIA]









PASGT ACH/MICH

MICH HIGHCUT with Picatinny rails & NV bracket

CROATIAN/GERMAN STYLE

BULLET PROOF VEST [NIJ Level II~IIIA]











Basic Type

VIP Type

MOLLEType

Combat Type Quick Release Type

BULLET PROOF PLATE [NIJ Level III~IV]















Anti Riot Protection Suit / Helmet













Anti Riot Protection Suit

Anti Riot Helmet

Anti Riot Baton / Shield







Anti Riot Shield

Electric Baton / Stun Gun







Stun Gun

Duty Belt / Handcuffs



Duty Belt





Srandard steel single ratchet Handcuffs ratchet Handcuffs





Plastic Handcuffs









Military Tent





Field Bed



Alice Backpack

















Bayonet / Shovel etc.




















SPECIAL FEATURES

Anti Abrasion Function Injection / Cement Type Gore-tex Application Anti Frostbite Function



Officer / Sports Shoes

